



2020 CERTIFICATION

Consumer Confidence Report (CCR)

5/-55 WATER ASSOCIATION
Public Water System Name

049000 | List PWS ID #s for all Community Water Systems included in this CCR

The Federal Safe Drinking Water Act (SDWA) requires each Community Public Water System (PWS) to develop and distribute a Consumer Confidence Report (CCR) to its customers each year. Depending on the population served by the PWS, this CCR must be mailed or delivered to the customers, published in a newspaper of local circulation, or provided to the customers upon request. Make sure you follow the proper

procedures when distributing the CCR.		
CCR DISTRIBUTION	(Check all boxes that apply.)	
INDIRECT DELIVERY METHODS (Attach copy of publication,	water bill or other)	DATE ISSUED
Advertisement in local paper (Attach copy of advertisement)		5/27/2021
□ On water bills (Attach copy of bill)		
□ Email message (Email the message to the address below)		
□ Other		
DIRECT DELIVERY METHOD (Attach copy of publication, wat	er bill or other)	DATE ISSUED
□ Distributed via U. S. Postal Mail		
□ Distributed via E-Mail as a URL (Provide Direct URL):		
□ Distributed via E-Mail as an attachment		
□ Distributed via E-Mail as text within the body of email message	ge	
$\hfill\Box$ Published in local newspaper (attach copy of published CCR	or proof of publication)	
□ Posted in public places (attach list of locations)		
□ Posted online at the following address (Provide Direct URL):		
I hereby certify that the CCR has been distributed to the custor above and that I used distribution methods allowed by the SDN and correct and is consistent with the water quality monitoring Water Supply. **Additional Custoff Name**	WA. I further certify that the information includ	ed in this CCR is true
	S (Select one method ONLY)	
You must email, fax (not preferred), or mail	a copy of the CCR and Certification to the M	ISDH.

Mail: (U.S. Postal Service)

MSDH, Bureau of Public Water Supply

P.O. Box 1700

Jackson, MS 39215

Email: water.reports@msdh.ms.gov

Fax: (601) 576-7800

(NOT PREFERRED)

2020 Annual Drinking Water Quality Report 51-55 Water Association PWS#: 490001 May 2021

2021 MAY 13 AM 8 10

We're pleased to present to you this year's Annual Quality Water Report. This report is designed to inform you about the quality water and services we deliver to you every day. Our constant goal is to provide you with a safe and dependable supply of drinking water. We want you to understand the efforts we make to continually improve the water treatment process and protect our water resources. We are committed to ensuring the quality of your water. Our water source is purchased from the City of Winona that has wells drawing from the Meridian Upper Wilcox Aquifer.

The source water assessment has been completed for our public water system to determine the overall susceptibility of its drinking water supply to identified potential sources of contamination. A report containing detailed information on how the susceptibility determinations were made has been furnished to our public water system and is available for viewing upon request. The wells for the City of Winona have received moderate to higher susceptibility rankings to contamination.

If you have any questions about this report or concerning your water utility, please contact Patricia Curington at 662.417.7154. We want our valued customers to be informed about their water utility. If you want to learn more, please attend the meeting scheduled for the second Thursday of September at 6:00 PM at the Montgomery County Courthouse.

We routinely monitor for contaminants in your drinking water according to Federal and State laws. This table below lists all of the drinking water contaminants that were detected during the period of January 1st to December 31st, 2020. In cases where monitoring wasn't required in 2020, the table reflects the most recent results. As water travels over the surface of land or underground, it dissolves naturally occurring minerals and, in some cases, radioactive materials and can pick up substances or contaminants from the presence of animals or from human activity; microbial contaminants, such as viruses and bacteria, that may come from sewage treatment plants, septic systems, agricultural livestock operations, and wildlife; inorganic contaminants, such as salts and metals, which can be naturally occurring or result from urban storm-water runoff, industrial, or domestic wastewater discharges, oil and gas production, mining, or farming; pesticides and herbicides, which may come from a variety of sources such as agriculture, urban storm-water runoff, and residential uses; organic chemical contaminants, including synthetic and volatile organic chemicals, which are by-products of industrial processes and petroleum production, and can also come from gas stations and septic systems; radioactive contaminants, which can be naturally occurring or be the result of oil and gas production and mining activities. In order to ensure that tap water is safe to drink, EPA prescribes regulations that limit the amount of certain contaminants in water provided by public water systems. All drinking water, including bottled drinking water, may be reasonably expected to contain at least small amounts of some contaminants. It's important to remember that the presence of these contaminants does not necessarily indicate that the water poses a health risk.

In this table you will find many terms and abbreviations you might not be familiar with. To help you better understand these terms we've provided the following definitions:

Action Level - the concentration of a contaminant which, if exceeded, triggers treatment or other requirements which a water system must follow.

Maximum Contaminant Level (MCL) - The "Maximum Allowed" (MCL) is the highest level of a contaminant that is allowed in drinking water. MCLs are set as close to the MCLGs as feasible using the best available treatment technology.

Maximum Contaminant Level Goal (MCLG) - The "Goal" (MCLG) is the level of a contaminant in drinking water below which there is no known or expected risk to health. MCLGs allow for a margin of safety.

Maximum Residual Disinfectant Level (MRDL) – The highest level of a disinfectant allowed in drinking water. There is convincing evidence that addition of a disinfectant is necessary to control microbial contaminants.

Maximum Residual Disinfectant Level Goal (MRDLG) – The level of a drinking water disinfectant below which there is no known or expected risk of health. MRDLGs do not reflect the benefits of the use of disinfectants to control microbial contaminants.

Parts per million (ppm) or Milligrams per liter (mg/l) - one part per million corresponds to one minute in two years or a single penny in \$10,000.

Parts per billion (ppb) or Micrograms per liter - one part per billion corresponds to one minute in 2,000 years, or a single penny in \$10,000,000.

				TEST RESU	JLTS			
Contaminant	Violation Y/N	Date Collected	Level Detected	Range of Detects or # of Samples Exceeding MCL/ACL	Unit Measure -ment	MCLG	MCL	Likely Source of Contamination
	Contam	inants						
Inorganio	Contain	illulity						

13. Chromium	N	2019*	14.1	No Range	ppb		100	10	Discharge from steel and pulp mills; erosion of natural deposits
14. Copper	N	2018/20	.2	0	ppm		1.3	AL=1.	3 Corrosion of household plumbing systems; erosion of natural deposits; leaching from wood preservatives
16. Fluoride	N	2019*	.104	No Range	ppm		4		Erosion of natural deposits; water additive which promotes strong teeth; discharge from fertilizer and aluminum factories
17. Lead	N	2018/20	1	0	ppb		0	AL=1	5 Corrosion of household plumbing systems, erosion of natural deposits
Sodium	N	2019*	3600	No Range	ppb		0		O Road Salt, Water Treatment Chemicals, Water Softeners and Sewage Effluents.
Disinfection	on By-	Products	,						
81. HAA5	N	2020	8	No Range	ppb	0			By-Product of drinking water disinfection.
Chlorine	N	2020	1.8	7 – 2.5	mg/l	0	MDR	L = 4	Water additive used to control

^{*} Most recent sample. No sample required for 2020

As you can see by the table, our system had no violations. We're proud that your drinking water meets or exceeds all Federal and State requirements. We have learned through our monitoring and testing that some contaminants have been detected however the EPA has determined that your water IS SAFE at these levels.

microbes

We are required to monitor your drinking water for specific contaminants on a monthly basis. Results of regular monitoring are an indicator of whether or not our drinking water meets health standards. In an effort to ensure systems complete all monitoring requirements, MSDH now notifies systems of any missing samples prior to the end of the compliance period.

If present, elevated levels of lead can cause serious health problems, especially for pregnant women and young children. Lead in drinking water is primarily from materials and components associated with service lines and home plumbing. Our water system is responsible for providing high quality drinking water, but cannot control the variety of materials used in plumbing components. When your water has been sitting for several hours, you can minimize the potential for lead exposure by flushing your tap for 30 seconds to 2 minutes before using water for drinking or cooking. If you are concerned about lead in your water, you may wish to have your water tested. Information on lead in drinking water, testing methods, and steps you can take to minimize exposure is available from the Safe Drinking Water Hotline or at http://www.epa.gov/safewater/lead. The Mississippi State Department of Health Public Health Laboratory offers lead testing. Please contact 601.576.7582 if you wish to have your water tested.

To comply with the "Regulation Governing Fluoridation of Community Water Supplies", the CITY OF WINONA is required to report certain results pertaining to fluoridation of our water system. The number of months in the previous calendar year in which average fluoride sample results were within the optimal range of 0.6-1.2 ppm was 9. The percentage of fluoride samples collected in the previous calendar year that was within the optimal range of 0.6-1.2 ppm was 77%.

All sources of drinking water are subject to potential contamination by substances that are naturally occurring or man made. These substances can be microbes, inorganic or organic chemicals and radioactive substances. All drinking water, including bottled water, may reasonably be expected to contain at least small amounts of some contaminants. The presence of contaminants does not necessarily indicate that the water poses a health risk. More information about contaminants and potential health effects can be obtained by calling the Environmental Protection Agency's Safe Drinking Water Hotline at 1.800.426.4791.

Some people may be more vulnerable to contaminants in drinking water than the general population. Immuno-compromised persons such as persons with cancer undergoing chemotherapy, persons who have undergone organ transplants, people with HIV/AIDS or other immune system disorders, some elderly, and infants can be particularly at risk from infections. These people should seek advice about drinking water from their health care providers. EPA/CDC guidelines on appropriate means to lessen the risk of infection by cryptosporidium and other microbiological contaminants are available from the Safe Drinking Water Hotline 1.800.426.4791.

The 51-55 Water Association works around the clock to provide top quality water to every tap. We ask that all our customers help us protect our water sources, which are the heart of our community, our way of life and our children's future.

ARROLL COUNTY REBROADCAST

he 'almost' great Carrollton train robbery

BY KENNY DOWNS Columnist

as many perceived robbing trains as taking from the rich and giving to the poor. The ries of great train robberies newspapers throughout the country are filled with sto-The year is 1892, and Santa Fe

had been robbed before someone many trains that of over \$70,000 so many reports was only a mattrain robbers, it bing one of the Railroad alone in 1892. With would try robof successful ter of time

Carroll County. According passed through

Grenada Sentinel, there was headed west into the wintery 892, a train had just pulled to a report in the December from the depot at 5:32 p.m. Wednesday, December 14, "almost" a great train rob-After taking on water, the into the Carrollton Depot. darkness towards its next train slowly pulled away 17, 1892, edition of The stop in Greenwood. No bery at Carrollton.On

robber was very much an

senger car. It was only then As the train began to pick that he realized that the first on the side he was trying to up speed, the would-be robcar of the train had no door amateur became apparent. entrance into the first pasber turned to make his

had boarded the unable to find a Unbeknown to the tender box the robber, he the first car of and the "blind train between doorway into side" of the enter.

nasmuch as by this time the mail car and the tender box. plate his next move. Since into the space between the decided that he would just ne was forced to contemump off. That, however, his plans for robbing the train had been foiled, he Greenwood at full sneed. was no longer an option frain was underway to

man, about six foot tall and

wearing a mask over his

weeds near the track and ace, emerged from the

darkness of Carroll County, engineer, jumped from the without even robbing the train and quickly disappeared into the wooded

robbery or of any other train available, there is no further robberies in Carroll County. From the printed history mention of this attempted

train robbery attempt is most likely found in the fact that The only fortunate part of no one, save the would-be the history of this failed

"almost" great train robbery. robber, knows who history should credit for Carroll County's one and only

> 2020 Annual Donking Water Cuality Report 51-55 Water Association PWS#, 496001 Ma, 2021

We're pleased to present to you this years Anneal Quality Maser Resent. This report is despited to inform you exped this years you to sendoes we deliver to you encry day. Our constant goes you with a safe and depondable suppy, of confirmer value. We want you to undostiend the efforts for make to confirmely introve the water teachers and protect cur water resources. We are concentrated to ensuring the quality of your water. Cur water source is purchased from the City of Windows that has well already down the introduced from the City of Windows that has well already down the interface User. Wilder Aguilan The course water assistance has been complated for our public water system to determine the overall susceptionally of the drawing water supply to Identified potential sources of contamination. A report contamined detailed adomination on how the susceptionally determinations were made has been turnished to our public water synthem and is pretable for yound request. The weits for the CAL of Without a have received mederale to high substitution in the management of the contraction of If you have any muestions about this report or connecting your water cutify, please consol. Particle Curtigues at 692,447,7754. We want for exempt customers to be informed about their water utility, it you want to have, present assents the informed about the workpoints. Fluoreday of September at 6:00, PM at the Montgomery County Countainse.

in some dases, reaconding manufals and can put up substances or contaminants from the presence of earnale or from himan activity. Infectional contaminance, such as virtues and bacteria, that not from severage treatments plans, septic sy tems, agricultural investional operations, and wildlife, incigang contaminants, such as salts and matals, which can be neutrally occurring or result from urgan starm-water from a variety of sources such as agriculture, orban storm-water fundit, and residential rises, organic checkes occurant and some from gas synthetic and votable arganic placetimes. When are by products from the processes and petroleum production, and can associous from gas statutes contaminants, which can be naturally occurring or be the result of all and gas production and mining politiques. In order to create the vales is safe to drink, EPA presornes regulations that timit the amount of certain drink as a visit of visit at least small and public water. They be described to creater at least small amounts of some contaminants less not represently indicate that the presence of these contaminants does not represently indicate that the We routhly monitor for contaminants in your driving water autoriting to Pedaral and State laws. This table below its 184 of the dripping water contaminants that water detacted during the period of January 11 to December 311. 2020. In cases where money has water required in 2020, the table reflects the most recent results As water travels over the surface of land or underground, Aldissolves naturally occurring minerals and unoif, industrial, or domissic wastevolar displanges, oil and gas production, enring, or farming, pesticides and temboliss, which may come from a variety of

In this table you will find many ferms and abbreviations you might not be familiar with. Fe field you better understand these, terms we've provided the following definitions: (often Lave) - the contentration of a conteminant which, if exceeded, triggars teatment or other requirements which a water system must

Maximum Contaminant Level (MCL) - The "Maximum Atlowed" (MCL) is the highest level of a contaminant mat is allowed in chinking water. MCLs are sail as close to the MCLOs as teached and the basine using the bast evaluable freatment lethnology.

Maximum Confaminant Level Goal (MCLG) - The "Goal (MCLG) is the level of a confaminant in drinking water below which there is no known or expected risk to health. IACL Gs allow for a marrin of safety. Maximum Postudal Distriction Level Gool (MRDLG) - The level of all drinking water disinfectant below which there is no known or expected risk of health, MRDLGs de not reflect the length of the use of disinfectants to control microbial contaminants.

mail car. Being As he peered to each side of the train, imagine his disappointment when he realized began searching Depot was not a passenger As the robber sank back that the train which he had for an alternative entrance. boarded at the Carrollton the train, he rain but was instead a reight train. Kenny Downs moving, than a young, white sooner had the train begun

Mexitrum Nestrual Distributent Level (MFDL) - The highest level of a distributed at distribute and arter. There is convincing evidence that addition of a disinfectant is necessary to control microbial contaminants.

his gun from his pocket and step in his plan as he pulled train, he moved to the next ust behind the tender box. objective of getting on the was at this point, however, train of all of their loot. It set out single-handedly to Having achieved his first rob the passengers of the that the fact that the train

until he reached the locomoly navigated his way across his gun and shouted out his the train began to slow, the tive. Once there, he pulled quick to comply with. As stop the train, which comdemand that the engineer the jagged pieces of coal mand the engineer was Carrollton train robber,

1301C Sunset Dr. Grenada, MS • 662-226-7575 CALL OR VISIT OUR WEBSITE FOR SHOWTIMES! Friday, May 28 - Thursday, June 3 FREE SMALL POPCORN WITH ALL TICKETS! A Quiet Place Part 2 (PG-13) Godzilla vs Kong (PG13) TUESDAY NIGHTS ALL SEATS \$6 Now Showing Cruella (PG-13) Spiral:Saw (R)



TEST RESULTS

Date Level Range of Defects or Unit

Violation

Contaminant

MCL Likely Source of Contamination

MCLG

100	Z).	Collected	ed Detected	# of Samples Exceeding MCL/AGL	Measure -ment			
norganic Contaminants	Contan	unants						
J. Barlum	Z	2019*	.067	No Range	ррги	2	2	Discharge of drilling wastes; discharge from metal refinertes; erosion, of netural deposits
3. Chromium	2	2019*	14.1	No Range	qdd	1001	100	Discharge from steel and pulp mile; prosice of natural deposits
f Copper	z	2018/20	.2	0	тдд	1,3	AL=1.3	Corresion of household plumbing systems; erosion of natural deposits; leaching from wood opening from wood
5. Fluoride	Z	2019*	104	No Range	mdd	4	4	Erosion of natural deposits, water additive which promotes strong teath, discharge from fertilizer the atomirtum factories.
7. Lead	z	2018/20	d	0	ada	0	AL=15	Corrosion of bour effold plumbing systems, prosion of natural deposits
odium	z	2019*	3600	No Ránge	gd6	0	0	Road Salt, Vote: Treatment Chamicals, Water Softeners and Sewige Efficents
disinfection By-Products	By-Pr	oducts						
2011	100			No Range			180 By-1	By-Product of Unit-king water disinfection,
Notino	2	2020		7-25 mg	mg/l	.: MORL = 4		Water utelityo used to control at color
Come and being accounted	A MAN AND AND ADDRESS OF	with the maniet by an in the sold has 30.90	C-3030				- Total	

Most recent sample. No sample regulard for 2020,

As you can see by the table, our system had no violations. We're proud that your ornitaring water meass or exceeds an industrial and State requirements. We have learned through our monitoring and testing that some confamiliarits have been delected housiver the EPA has

We are required to monitor your drinking water for specific contaminants on a monthly basis. Results of regular monthing are as indicator of whether or not our drinking vater meets health standards. In an effort to ensure systems complete all montoring requirements. MSQH pow tolifies systems of any missing samples pror to the end of the compliance period

high quality drinking water, but cannot control the variety of materials used in purinting components. After your water trappersone for providing several hours, you can inform the water trappersone to the potential following the water but to be second to the providing in your accounted hours, you are concerned about mad report your any waster for the providing in your accounted to the providing water to be a safety of the providing water to the providing f present, elevated levels of tend cause serious realth problems, especially for prognant women and young whiten. Lead in drinking water fornpanalis associated with service lines and having plumbing. Our water system is responsible

To comply with the 'Regulation Coverning Fluorisation of Community Water Supplies stills CITY OF WINGLAM is required to report certain and the particular period from the optimal range of 0.6-1.2 ppm was 9. The percentage of fluoride samples collected in the previous calendar year that Was within the optimal range of 0.6-1.2 ppm was 9. The percentage of fluoride samples collected in the previous calendar year that

All acutoes of dirricing water are subject to potential contamination by substances. This are harmally excurring or man made. These substances can be minimized by a contamination of contaminations and rediseative substances. All density water, including potent water, may reactively be exceeded to other at least small amounts of some contaminates. The presence of contamination does not necessarily indicate that the water process a flexible gate. More information stood contamination to destination and protection to a presence. Agency's Sale Dilinking Water Hotline at 1,800,426,4791,

relines on appropriate means to lessan the risk of infection by cryptose indum and alisigurg chemoliterapy, persons who have undergone organ transpiants, people with HMZ/PID3 or eldenly, and transpiants can be padicularly at risk from Infections. These paople should seak allongs about

omers help as craler mailer to every tap. We ask that all our cits. The 51-35 Water Association works around the closs to provide top quality our way of life and our water sources, which are are heart of our

To qualify, consumers must request a quote, purchase, instail and activate the generator with a participating dealer. Call for a full list of terms and conditions

Subject to Credit Approval